

ORDSM0021: Clinical Conscious Sedation

[View Online](#)

(1)

Meechan, J. G.; Robb, N. D.; Seymour, R. A. Pain and Anxiety Control for the Conscious Dental Patient; Oxford University Press: Oxford, 1998.

(2)

Craig, D.; Boyle, C. A. Practical Conscious Sedation, Second edition.; Wilson, N. H. F., Meechan, J. G., Eds.; Quintessence Publishing Co. Ltd: London, 2017; Vol. 15.

(3)

Ashley, P. F.; Chaudhary, M.; Lourenço-Matharu, L. Sedation of Children Undergoing Dental Treatment. Cochrane Database of Systematic Reviews **2018**.
<https://doi.org/10.1002/14651858.CD003877.pub5>.

(4)

Coulthard, P.; Bridgman, C. M.; Gough, L.; Longman, L.; Pretty, I. A.; Jenner, T. Estimating the Need for Dental Sedation. 1. The Indicator of Sedation Need (IOSN) – a Novel Assessment Tool. British Dental Journal **2011**, 211 (5), E10-E10.
<https://doi.org/10.1038/sj.bdj.2011.725>.

(5)

Henthorn, K.; Dickinson, C. The Use of Flumazenil after Midazolam Induced Conscious Sedation. British Dental Journal **2010**, 209.

(6)

Standards for Conscious Sedation in the provision of Dental Care and Accreditation —
Royal College of Surgeons.

<https://www.rcseng.ac.uk/dental-faculties/fds/publications-guidelines/standards-for-conscious-sedation-in-the-provision-of-dental-care-and-accreditation/>.